

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6625114".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 08:17
S2	2	"6434615".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 18:59
S3	1	S2 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 18:59
S5	0	hassell.in. and ((address near2 table) or ((circuit or switch) near2 map))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:08
S6	39	hassell.in. and (map or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:09
S7	5	S6 and suzanne.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:12
S8	5	"6421337".pn. "6317431".pn. "6125119".pn. "6021130".pn. "5530698".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:15
S9	108	predefined with switch\$2 same (map or table) and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:17

S10	42	predefined with (switch\$2 or circuit\$2) same (map or table) same (endpoint\$2 or address or destination) and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:18
S11	4	predefined near3 (switch\$2 or circuit\$2) same (map or table) same (endpoint\$2 or address or destination) and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:20
S12	18706	(switch\$2 or circuit\$2) same (map or table) same (endpoint\$2 or address or destination) and @ad<"20000210" not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:21
S13	6980	(switch\$2 or circuit\$2) with (map or table) with (endpoint\$2 or address or destination) and @ad<"20000210" not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:21
S14	264	S13 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:36
S15	2	"20020107942".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:39
S16	356	table near2 IP near address\$2 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:41
S17	16	look@ near up same table near2 IP near address\$2 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:42

S18	35	look\$2 near up same table near2 IP near address\$2 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:49
S19	1374	terminat\$3 with connect\$3 with \$2activ\$3 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:50
S20	93	terminat\$3 near2 connect\$3 near3 \$2activ\$3 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:51
S21	4	terminat\$3 near2 connect\$3 near3 \$2activ\$3 with period and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:51

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	62	(713/200.ccls. 709/223.ccls. 709/217.ccls. 709/224.ccls. 709/227.ccls. 370/250.ccls. 714/14.ccls.) and @ad<"20000210" and @pd>"20050322"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:46
S1	2	"6625114".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 08:17
S2	2	"6434615".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 18:59
S3	1	S2 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 18:59
S5	0	hassell.in. and ((address near2 table) or ((circuit or switch) near2 map))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:08
S6	39	hassell.in. and (map or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:09
S7	5	S6 and suzanne.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:12
S8	5	"6421337".pn. "6317431".pn. "6125119".pn. "6021130".pn. "5530698".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:15

S9	108	predefined with switch\$2 same (map or table) and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:17
S10	42	predefined with (switch\$2 or circuit\$2) same (map or table) same (endpoint\$2 or address or destination) and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:18
S11	4	predefined near3 (switch\$2 or circuit\$2) same (map or table) same (endpoint\$2 or address or destination) and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:20
S12	18706	(switch\$2 or circuit\$2) same (map or table) same (endpoint\$2 or address or destination) and @ad<"20000210" not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:21
S13	6980	(switch\$2 or circuit\$2) with (map or table) with (endpoint\$2 or address or destination) and @ad<"20000210" not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:21
S14	264	S13 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:36
S15	2	"20020107942".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:39
S16	356	table near2 IP near address\$2 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:41

S17	16	look@ near up same table near2 IP near address\$2 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:42
S18	35	look\$2 near up same table near2 IP near address\$2 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:49
S19	1374	terminat\$3 with connect\$3 with \$2activ\$3 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:50
S20	93	terminat\$3 near2 connect\$3 near3 \$2activ\$3 and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:51
S21	4	terminat\$3 near2 connect\$3 near3 \$2activ\$3 with period and @ad<"20000210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:51